

INDEX MAPS.

T. 19N, R. 9E. 2nd Mer.

	352		352		352		351		351		351		351
355	6	379	5	372	4	368	3	363	2	359	1	350	
	378		378		372		367		363		359		
354	7	377	8	372	9	367	10	362	11	358	12	350	
	377		376		371		367		362		358		
354	18	376	17	371	16	366	15	362	14	357	13	350	
	376		375		370		366		361		357		
354	19	375	20	370	21	365	22	361	23	357	24	349	
	374		374		370		365		360		356		
353	30	374	29	369	28	365	27	360	26	356	25	349	
	373		373		369		364		360		356		
353	31	373	32	368	33	364	34	359	35	355	36	349	
	348		348		348		347		347		347		

T. 20N, R. 9E. 2nd Mer.

	386		386		385		385		385		385		385
388	6	409	5	403	4	399	3	396	2	392	1	384	
	409		408		403		399		395		392		
387	7	408	8	403	9	399	10	395	11	391	12	384	
	408		407		402		398		395		391		
387	18	407	17	402	16	398	15	394	14	390	13	384	
	407		406		401		398		394		390		
387	19	406	20	401	21	397	22	394	23	390	24	383	
	406		405		401		397		393		389		
387	30	405	29	400	28	397	27	393	26	389	25	383	
	404		404		400		396		393		389		
386	31	404	32	400	33	396	34	392	35	388	36	383	
	382		382		382		381		381		381		

The figures on the lines refer to the page.

381

Township 20 North, Range 9 East. 9th Mer. Ind.

South Boundary.

Var. 6.05'E

West on S. Side of Sec. 36-

16.78 a Beech 18 in. dia.

18.00 at Brook 10th. side Corner N.

40.00 Set q. Sec. Post from which

a Hornbeam 6 in. dia. bears N 37 E 26 W. dist. 8

an Ash 14 " " " S 60 W 7 " "

53.00 an Oak 36 " "

80.00 Set Post cor. to Secs. 35 & 36 from which

a Walnut 13 in. dia. bears S 37 E 9 W. dist. 8

a Hickory 14 " " " N 65 W 56 " "

On level land. Timber Beech Oak & Spruce.

West on S. Side of Sec. 35-

17.00 a Beech 70th. side Corner N.

40.00 Set q. Sec. Post from which

a W. Oak 30 in. dia. bears S 33 W 33 W. dist. 8

a Dogwood 8 " " " N 60 E 11 " "

62.91 a Maple 14 " "

80.00 Set Post cor. to Secs. 34 & 35 from which

a W. Oak 14 in. dia. bears S 81 E 35 W. dist. 8

a Hickory 10 " " " S 70 W 24 " "

On level land. Timber Hickory, Oak &c.

West on S. Side of Sec. 34-

6.93 a B. Oak 45 in. dia.

40.00 Set q. Sec. Post from which

a Walnut 10 in. dia. bears N 33 E 13 W. dist. 8

an Oak 30 " " " S 39 W 16 " "

62.75 an Oak 12 " "

80.00 Set Post cor. to Secs. 33 & 34 from which

a Hickory 13 in. dia. bears S 69 E 12 W. dist. 8

a B. 10 " " " N 29 W 21 " "

Land & Timber same as on the last line-

W. D. N. R. G. E. Ind Mer. Indiana-

West on S. Side of Sec. 33
 17.00 a W. Oak 13 in. dia.
 40.00 Set gp. Sec. post from which
 a Hickory 16 in. dia. bears S 66 W 31 W. dist. 8
 a Do 14 " " " S 78 W 67 " "
 44.75 a W. Oak 18 " "
 80.00 Set post cu. to Secs. 32 & 33 from which
 an Oak 20 in. dia. bears N 10 E 26 W. dist. 8
 a Hickory 15 " " " S 83 E 42 " "
 Land & Timber same as on the last line.

West on S. Side of Sec. 32 -
 8.40 a W. Oak 15 in. dia.
 33.00 a Brook 6 ft wide corner
 40.00 Set gp. Sec. post from which
 a Hornbeam 12 in. dia. bears N 85 E 40 W. dist. 8
 an Elm 18 " " " S 62 W 25 " "
 36.00 a W. Oak 18 " "
 62.00 a Creek 20 ft wide corner N.
 80.00 Set post cu. to Secs. 31 & 32 from which
 a W. Oak 12 in. dia. bears S 78 E 51 W. dist. 8
 a Do 14 " " " S 71 W 37 " "
 Land & Timber same as in the last line -

West on S. Side of Sec. 31
 40.00 Set gp. Sec. post from which
 a Hickory 13 in. dia. bears S 79 E 20 W. dist. 8
 a W. Oak 12 " " " S 53 W 27 " "
 48.27 Intersect left bank of White River & set post fr. which
 a Locust 12 in. dia. bears E 10 E 12 W. dist. 8
 an Oak 7 " " " S 61 W 5 " "
 51.39 Set post on Right Bank of River from which
 a Willow 12 in. dia. bears S 60 E 6 W. dist. 8
 an Elm 10 " " " N 60 E 6 " "
 83.75 Intersect Range line H. 26 S. of Temp. post.
 when set post cu. to Townships 19 & 20 North,

W. D. N. - W. R. G. E. J^{no} Mr. Indiana

Rangus 8 & 9 East from which
an Oak 36 in. dia. bears N 75 W 15 W. dir. &
at Beech 14 " " " S 12 E 15 " "
Over rolling land, Timber Oak. Beech &c.
November 19th 1819 -

East Boundary.

Var. 6° 30' E.

North on E. Side of Sec. 36.

11.07 at Beech 14 in. dia.

40.00 Set q. Sec. Post from which

at Beech 14 in. dia. bears S 81 E 22 W. dir. &

a Do 8 " " " S 77 W 32 " "

52.00 a Birch 40 W. side corner W.

80.00 Set Post onto Secs. 25 & 36 from which

an Elm 30 in. dia. bears S 44 E 12 W. dir. &

a Hickory 10 " " " N 63 W 9 " "

over good farming land, Timber Beech. Ash,
Sugar. &c. Augth Spruce -

North on E. Side of Sec. 25 -

9.50 a Poplar 24 in. dia.

40.00 Set q. Sec. Post from which

an Ironwood 6 in. dia. bears S 10 E 22 W. dir. &

at Beech 10 " " " N 23 W 37 " "

45.00 a Birch 20 W. side corner W.

53.00 a Do 50 " " " W.

80.00 Set Post onto Secs. 24 & 25 from which

a Hickory 12 in. dia. bears S 17 E 7 W. dir. &

a Do 8 " " " N 5 E 13 " "

Land, Timber &c. Same as on the last line -

North on E. Side of Sec. 24

40.00 Set q. Sec. Post from which

a Walnut 30 in. dia. bears S 36 W 28 W. dir. &

at Beech 30 " " " N 21 E 20 " "

C. D. N. R. & E. D. ^{2d} Mer. Indiana.

45.58 a Hickory 24 in. dia.

80.00 Let post cut to Secs. 13 & 24 from which
an Ash 36 in. dia. bears S 77 W 48 W. dir. &
a Beech 20 " " " N 29 E 48 " "
Land, Timber &c Same as on the last line -

North on E. Side of Sec. 13

8.75 a Hickory 18 in. dia.

26.64 Entered Left bank of White River & set post -
an Ironwood 6 in. dia. bears N 80 W 4 W. dir. &
a Dogwood 6 " " " N 76 E 6 " "

28.10 On River - no bearing trees on Right bank

40.00 Let q. Sec. post from which
a W. Oak 14 in. dia. bears North 53 W. dir.

80.00 Let post cut to Secs. 12 & 13 from which
a Cherry 12 in. dia. bears N 8 E 36 W. dir. &
a Dogwood 6 " " " N 7 E 39 " "
On good farming land, Timber Oak &c

North on E. Side of Sec. 12.

14.00 a W. Oak 12 in. dia.

40.00 Let q. Sec. post from which
a W. Oak 18 in. dia. bears N 57 W 37 S W. dir.

57.90 a Hickory 13 " " "

80.00 Let post cut to Secs. 14 & 12 from which
an Ash 12 in. dia. bears S 28 E 21 W. dir. &
a Do 17 " " " N 21 W 21 " "
Land, Timber &c Same as on the last line -

North on E. Side of Sec. 1

10.83 an Oak 20 in. dia.

40.00 Let q. Sec. post from which
an Ash 9 in. dia. bears S 18 E 14 W. dir. &
a Walnut 8 " " " N 33 W 32 " "

61.83 a Hickory 18 " " "

64.64 Township corner - Bearing trees -

T. 20 N. - R. 9 E. Trd Mer. Indiana.

385

a Hickory 18 in. dia. bears N 36 W 27 W dist. 8
 a Do 18 " " " S 37 E 30 " "
 On lent land, Timber Oak. Hickory &
 Underwood Maple & -

North Boundary -

Var. —

West on S. Side of Sec. 36 T. 21 N. - R. 9 E.

40.00 Set gr. Sec. post from which

an Ash 8 in. dia. bears N 23 E 15 W dist. 8

a Do 8 " " " S 30 E 3 " "

80.00 Set post cor. to Secs. 35 & 36 from which

a Hickory 20 in. dia. bears N 74 E 11 W dist. 8

an Elm 12 " " " S 74 W 12 " "

West on S. Side of Sec. 35 T. 21 N. - R. 9 E.

40.00 Set gr. Sec. post from which

a R. Oak 36 in. dia. bears N 83 E 46 W dist. 8

a Hornbeam 6 " " " S 55 W 3 " "

80.00 Set post cor. to Secs. 34 & 35 from which

an Ash 16 in. dia. bears N 12 W 12 W dist. 8

a Beech 12 " " " S 32 W 33 " "

West on S. Side of Sec. 34 T. 21 N. - R. 9 E.

40.00 Set gr. Sec. post from which

a Beech 18 in. dia. bears S 76 E 4 W dist. 8

a Do 20 " " " N 70 W 34 " "

80.00 Set post cor. to Secs. 33 & 34 from which

a Beech 18 in. dia. bears N 45 W 19 W dist. 8

a Do 24 " " " N 73 E 16 " "

West on S. Side of Sec. 33 T. 21 N. - R. 9 E.

40.00 Set gr. Sec. post from which

a Hornbeam 12 in. dia. bears N 43 E 22 W dist. 8

a Beech 14 " " " S 11 W 13 " "

80.00 Set post cor. to Secs. 32 & 33 from which

T. 20 N. - R. 9 E. 2nd Mer. Indiana.

an Oak 12 in. dia. bears N 38 W 15 W. dist. 8
a Beech 12 " " " N 72 E 10 " "

West on S. Side of Sec. 33 T. 21 N. - R. 9 E.

40.00 Set gr. Sec. post from which

a Buck 18 in. dia. bears S 88 W 19 W. dist. 8

a Do 18 " " " N 16 E 22 " "

80.00 Set post cu. to Secs. 31 & 32 from which

an Ironwood 8 in. dia. bears S 80 W 3 W. dist. 8

a Do 10 " " " N 28 E 11 " "

West on S. Side of Sec. 31 T. 21 N. - R. 9 E.

40.00 Set gr. Sec. post from which

a Beech 10 in. dia. bears N 59 E 33 W. dist. 8

a Sugar 14 " " " N 57 W 12 " "

78.00 Intersect Range line 15.00 S. of temp. Post
when set post cu. to Townships 20 & 21 North.
Range 8 & 9 East. from which

a Beech 30 in. dia. bears N 27 W 30 W. dist. 8

a Do 14 " " " S 3 W 32 " "

Description of Land & Timber on these
Last Six miles, omitted -

West Boundary.

Var. 6 & 15 E.

North on E. Side of Sec. 36 T. 20 N. - R. 8 E.

35.63 a W. Oak 14 in. dia.

40.00 Set gr. Sec. Post from which

a Beech 12 in. dia. bears S 7 E 42 W. dist. 8

an Oak 4 " " " N 11 W 31 " "

62.75 a Beech 20 " "

80.01 Set post cu. to Secs. 25 & 36 from which

an Ironwood 8 in. dia. bears S 12 E 29 W. dist. 8

a Dogwood 6 " " " N 20 E 4 " "

On level land, Timber Beech. Oak. Hickory &c.
Augth Hazel. Brins &c -

387

W. D. N. R. 9 E. 3rd Mer. Indiana.

North on E. Side of Sec. 25 T. 20 N. R. 8 E.

24.06 a N. Oak 18 in. dia.

40.00 Set q. Sec. post from which
a Sassafras 12 in. dia. bears 44 1/2 N 11 W. dist. 4
an Oak 36 " " " N 6 E 25 " "

61.90 a Beech 14 " "

80.00 Set post Cu. to Sec. 24 & 25 from which
a Hickory 13 in. dia. bears 94 1/2 E 31 W. dist. 4
a Beech 20 " " " N 11 W 14 " "

Land. Timber & same as on the last line.

North on E. Side of Sec. 24 T. 20 N. R. 9 E.

31.74 an Oak 14 in. dia.

40.00 Set q. Sec. post from which
an Oak 36 in. dia. bears 91 N 16 W. dist. 4
a Beech 10 " " " S. 9 W 22 " "

50.96 a N. Oak 14 " "

80.00 Set post Cu. to Sec. 13 & 24 from which
a Maple 12 in. dia. bears 98 E 32 W. dist. 4
a Do 10 " " " N 44 W 13 " "

Over wet land. Timber Maple, Hickory,
Oak, Beech &

North on E. Side of Sec. 13 T. 20 N. R. 8 E.

4.60 an Oak 22 in. dia.

40.00 Set q. Sec. post from which
an Oak 8 in. dia. bears 51 E 17 W. dist. 4
a Hickory 14 " " " N 32 W 22 " "

66.00 an Ash 15 " "

80.00 Set post Cu. to Sec. 12 & 13 from which
an 12 in. dia. bears 57 N 28 W. dist. 4
a Beech 12 " " " N 40 E 18 " "

Over level land. Timber Beech, Ash, Oak &

North on E. Side of Sec. 12 T. 20 N. R. 8 E.

24.00 a Sycamore 14 in. dia.

S. D. N. R. & E. 2nd Mer Indiana

40.00 Let q. Sec. Post from which
 at Beech 10 in. dia. bears S 32 E 19 1/2 W. dist. 1/2
 a Do 8 " " " N 77 W 4 " "
 66.00 a N. Oak 16 " "
 77.00 at Brook 5 W. side Corner N. W.
 80.00 Let Post C. to Sec. 1412 from which
 at Beech 8 in. dia. bears S 49 E 3 W. dist. 1/2
 a Do 10 " " " N 11 E 27 " "
 Sand & Timber Same as on the last line.

North on E. Side of Sec. 1 T. 20 N. R. 9 E.
 18.86 at Beech 18 in. dia.

40.00 Let q. Sec. Post from which
 at Beech 14 in. dia. bears N 38 E 25 W. dist. 1/2
 an Elm 12 " " " S 83 W 44 " "

55.50 at Beech 30 W. side Corner N. W.

65.00 To Town Corner - Bearings -
 at Beech 30 in. dia. bears N 27 W 30 W. dist. 1/2
 a Do 14 " " " S 37 W 32 " "

Sand & Timber Same as on the last line -
 November 21st 1819 Surveyed by
 John Mc. Donald
 Sup. Survey -

Subdivisions.

North Return Sec. 35 & 36.

16.69 a Cherry 14 in. dia.

25.35 a Striped 60 W. side Corner E.

34.68 an Elm 20 in. dia.

40.00 Let q. Sec. Post from which
 an Elm 18 in. dia. bears S 2 E 21 W. dist. 1/2
 a Do 20 " " " N 4 E 11 " "

58.04 at Oak 60 " "

80.00 Let Post C. to Sec. 35, 26, 35 & 36 from which
 an Elm 14 in. dia. bears S 43 E 10 W. dist. 1/2

389

S. D. N. R. G. E. 2nd Mer. Indiana.

a W. Oak 14 in. dia. bears N 47 W 8 W. dist.
 Sand 2nd rate, large, Timber Oak & Hickory
 mingth Elm, Sassafras, Spruce &c

East on Random between Secs. 25 & 36—
 23.00 a Stream 75 W. wide Corners N. E.
 40.00 Set temp. q. Sec. Post
 80.10 Intersect East Bound. line 71 W. S. of post.
 Sand 2nd rate, Timber Oak, Elm & Hickory & Ash
 mingth Ironwood, Spruce, Hazel thickets &c

West Corner between Secs. 25 & 36—
 40.05 Set q. Sec. Post at a mag. dist. from which
 a Beech 5 in. dia. bears N 30 E 9 W. dist. 8
 a Do 18 " " " 465 W 32 " "
 80.10 To Sec. Corner.

North between Secs. 25 & 36—
 23.07 a Walnut 10 in. dia.
 40.00 Set q. Sec. Post from which
 a Beech 13 in. dia. bears S 44 W 26 W. dist. 8
 a Do 34 " " " N 34 W 22 " "
 49.18 a Stream 50 W. wide Corners W.
 54.82 a Do 27 " " " S. W.
 60.82 a W. Walnut 26 in. dia.
 69.84 a Beech 20 in. dia.
 80.00 Set Post Cn. to Secs. 23, 24, 25 & 36 from which
 a Beech 24 in. dia. bears S 78 E 23 W. dist. 8
 an Elm 15 " " " N 6 W 20 " "
 Sand land 2nd rate, Timber Beech, Oak & Ash,
 mingth Dogwood &c—

East on Random between Secs. 24 & 25—
 40.00 Set temp. q. Sec. Post
 80.00 Intersect East Bound. line 68 W. N. of Post.
 Sand 2nd rate, land, Timber Beech, Oak,

W D N. - R. G. E. 2nd Mer. Indiana

Sugar, sugar, Buckeye, Ironway, Price.

West Corner between Secs. 24 & 25 -

40.00 Set gr. Sec. Post at same dir. from which
an Elm 11 in. dia. bears N 78 E 28 W. dist. 1/2
an Ironwood 7 " " " S 85 W 45 " "

80.00 To Sec. Corner.

North between Secs. 23 & 24

15.18 a Hickory 11 in. dia.

40.00 Set gr. Sec. Post from which
a Hickory 6 in. dia. bears S 18 W 16 W. dist. 1/2
a R. Oak 20 " " " N 2 W 35 " "

50.48 a Hickory 12 " "

63.69 a Oak 16 " "

80.00 Set Post ca. to Secs. 13, 14, 23 & 24 from which
a Hickory 12 in. dia. bears S 48 W 8 W. dist. 1/2
a Oak 12 " " " N 31 E 42 " "

Land level 3rd rate, Timber Beech, Ash, Oak &
sugar ash & Dogwood

East in Random between Secs. 13 & 24 -

40.00 Set temp. gr. Sec. Post

80.30 Intersect E. Bound. line 22 W. N. of Post.
Land, Timber & as last described

West Corner between Secs. 13 & 24 -

40.15 Set gr. Sec. Post at same dir. from which
a W. Oak 20 in. dia. bears S 14 E 1 W. dist. 1/2
a Dogwood 3 " " " N 36 E 1 " "

80.30 To Sec. Corner.

North between Secs. 13 & 14

18.50 a W. Oak 18 in. dia.

40.00 Set gr. Sec. Post from which
a Spruce 10 in. dia. bears S 5 W 8 W. dist. 1/2

391

Dr. D. N. R. G. E. 2nd Mer. Indiana.

a W. Walnut 14 in. dia. bears S 72 W 24 W. dist.
 " " gr. Sec. post at a stream 164 W. wide corner West.
 53.22 a W. Oak 12 in. dia.
 67.67 a Hickory 20 " "
 80.00 Let post c. to Secs. 11, 12, 13 & 14 from which
 a Hickory 6 in. dia. bears S 48 W 13 W. dist.
 an Elm 10 " " " N 64 E 7 " "
 Sand lent 2nd rate. Timber Oak & Hickory.
 Open woods.

East at Random between Secs. 12 & 13-

2.00 Enter a Prairie
 8.00 a Stream 13 W. wide corner N.W.
 23.50 Leave the Prairie
 36.00 Enter " "
 40.00 Let temp. gr. Sec. post
 45.60 a Stream 18 W. wide corner S.W. & Leave Prairie
 80.12 Intersect E. Bound. line 117 W. — of post
 Sand lent 2nd rate. Timber Oak & Hickory &
 Open woods.

West Corner between Secs. 12 & 13-

40.06 Let gr. Sec. post at corner dist. No bearing trees.
 80.12 To Sec. Corner.

North between Secs. 11 & 12

2.50 Enter a Prairie
 7.95 a Stream 13 W. wide corner N.W.
 12.50 Leave the Prairie
 24.63 a W. Oak 10 in. dia.
 34.45 a R. Oak 30 "
 40.00 Let gr. Sec. post from which
 a Hickory 12 in. dia. bears S 6 E 31 W. dist.
 a W. 20 " " " N 33 W 24 "
 63.95 a W. Oak 30 "
 80.00 Let post c. to Secs. 1, 2, 11 & 12 from which

J. D. N. R. G. E. 2nd Ma. Indiana.

a Hickory 10 in. dia. bears S 87° 9' W. dir. &
 a Do. 12 " " " N 47° 17' " "
 Land Timber &c as last described.

August 23rd 1824-

East on Rand on between Secs. 1 & 12 -

40.00 Set gp. Sec. post (temp)
 80.22 Intersect E. Bound. line 192 W. N. of post -
 Description of Land & Contents

West Corner between Secs. 1 & 12.

40.11 Set gp. Sec. post at average dist. from which
 a Sugar 7 in. dia. bears S 80° E 21 W. dir. &
 a R. Oak 48 " " " N 83° W 27 " "
 80.22 To Sec. Corner.

North between Secs. 1 & 12

16.62 a H. Ash 12 in. dia.
 31.17 a Dogwood 8 " "
 40.00 Set gp. Sec. post from which
 a Beech 13 in. dia. bears S 7° W 30 W. dir. &
 an Ironwood 14 " " " N 1° E 5 " "
 53.12 a Sugar 10 " "
 62.81 Intersect N. Bound. line 2 W. N. of post
 where Set Post C. to Secs. 1 & 2, from which
 an Elm 21 in. dia. bears S 46° E 12 W. dir. &
 an Ash 14 " " " N 7° W 22 " "
 Land lent 2nd rate, Timber Oak & Hickory,
 Augth Ironwood & Dogwood -

North between Secs. 34 & 35

8.66 a W. Oak 36 in. dia.
 38.44 a S. Ash 30 " "
 40.00 Set gp. Sec. post from which
 a R. Oak 24 in. dia. bears S 9° E 18 W. dir. &
 a R. Oak 24 " " " N 33° E 17 " "

393

W. D. N. R. G. E. I. M. Indiana.

67.03 in Immured 10 in. dia.

80.00 Set Post Cuto Secs 26, 27, 34 & 35 p. which
a R. Walnut 9 in. dia. was S 27 E 20 W. dist.
a W. Oak 14 " " " N 43 E 16 " "
Sand lent 2nd rate, Timber Oak & Hickory.
Augth Dogwood & Sassafras -

East on Random between Secs 26 & 35 -

40.00 Set temp. gr. Sec. Post -

79.98 Intersect Mt. line 43 W. S. of Post -
Sand lent 2nd rate, Timber Oak & Hickory -
Augth Dogwood & Hazel.

West corner between Secs 26 & 35 -

39.99 Set gr. Sec. Post at corner dist. from which
an Elm 16 in. dia. was East 31 W. dist.
a Do " " " S 79 W 23 " "

79.98 To Sec. Corner.

North between Secs 26 & 27 -

22.02 a R. Oak 16 in. dia.

31.10 a Hickory 12 " "

40.00 Set gr. Sec. Post from which
an Immured 6 in. dia. was S 62 E 7 W. dist.
a Do 6 " " " N 65 W 18 " "

44.50 a Shesha 118 W. side corner S. W. -

63.81 a Hickory 20 in. dia.

80.00 Set Post Cuto Secs 22, 23, 26 & 27 p. which
an Immured 6 in. dia. was N 60 E 5 W. dist.
a W. Oak 48 " " " N 69 W 6 " "
Description of Land & Omitted

East on Random between Secs 23 & 26 -

40.00 Set temp gr. Sec. Post -

80.11 Intersect E Round line 35 W. S. of Post -
Description of Land & Omitted

S. D. N. - N. G. E. 2nd Mer. Indiana.

West Corner between Sect. 23 & 26 -

40.05 Set gp. Sec. Post at corner dir. from which
a W. Oak 40 in. dia. bears S 59 E 25 W. dist. 8
a Do 48 " " " S 68 W 34 " "
80.11 To Sec. Corner.

North Between Sect. 22 & 23 -

13.08 at B. Oak 40 in. dia.
36.89 at Hickory 10 " "
40.00 Set gp. Sec. Post from which
at Hickory 8 in. dia. bears S 37 E 8 W. dist. 8
a Do 10 " " " S 60 W 9 " "
60.04 at B. Walnut 40 " "
66.96 at Elm 15 " "
80.00 Set Post cu. to Sect. 14, 15, 22 & 23 from which
a B. Oak 36 in. dia. bears N 36 W 14 W. dist. 8
at Hickory 18 " " " N 85 E 28 " "
Description of Land & Quarter.

East at Random between Sect. 14 & 23 -

40.00 Set temp. gp. Sec. Post -
80.00 Interm. W. line 50 W. S. of Post

West Corner Between Sect. 14 & 23 -

40.00 Set gp. Sec. Post at corner dir. from which
a W. Oak 30 in. dia. bears S 53 E 23 W. dist. 8
a Do 37 " " " S 46 W 24 " "
80.00 To Sec. Corner.

North Between Sect. 14 & 15 -

12.96 at Hickory 14 in. dia.
33.50 at Hickory 163 W. dist. corner S. W.
40.00 Set Post cu. to Sect. at corner dir. from which
a W. Oak 30 in. dia. bears S 6 E 67 W. dist. 8
at Hickory 15 " " " S 63 E 24 " "
42.48 a W. Oak 34 " "

395

W. D. N. R. G. E. D. M. Indianas

68.09 a W. Oak 20 in. dia.
 80.00 Let Post cut to Sect. 10. 11. 14 & 15 from which
 a W. Oak 48 in. dia. bears S 45° W 54 W. dist. 8
 a Dogwood 6 " " " N 29° E 49 " "

East on Random between Sect. 11 & 14 -
 40.00 Let temp. gr. Sec. Post
 80.29 Intersect W. line 66 W. of Post

West Corner between Sect. 11 & 14 -
 40.19½ Let gr. Sec. Post at amaze dist. from which -
 an Elm 20 in. dia. bears N 5° E 24 W. dist. 8
 a W. Oak 9 " " " S 15° W 17 " "
 80.29 To Sec. Corner. August 23rd 1821 -

North between Sect. 10 & 11
 17.45 a Hickory 24 in. dia.
 31.00 Enter a Swamp
 33.50 a Stream 12 W. wide Cross N.W.
 37.00 Leave the Swamp.
 40.00 Let gr. Sec. Post from which
 a W. Oak 24 in. dia. bears N 66° W 56 W. dist. 8
 a Do 12 " " " N 39° E 21 " "
 63.26 a Do 22 " "
 80.00 Let Post cut to Sect. 2. 3. 10 & 11 from which
 a W. Oak 40 in. dia. bears S 5° W 38 W. dist. 8
 a Do 20 " " " N 8° E 24 " "
 Land lent 2nd rate. Timber Oak & Hickory.
 Ringth. Ironwood & Dogwood

East on Random between Sect. 2 & 11 -
 40.00 Let temp. gr. Sec. Post
 80.26 Intersect W. line 131 W. of Post -

West Corner between Sect. 2 & 11 -
 40.13 Let gr. Sec. Post at amaze dist. from which -

W. D. N. W. G. E. 2nd Mer. Indiana

at B. Ash 10 in. dia. bears N 74 E 26 W. dir. &
 a Do 5 " " " S 89 W 12 " "
 80.26 To Sec. Corner.

North Between Sect. 2 & 3-

7.68 at N. Oak 30 in. dia.
 31.21 at B. Ash 7 " "
 40.00 Set gp. Sec. post from which
 at B. Ash 5 in. dia. bears S 5 E 41 W. dir. &
 a N. Oak 6 " " " N 30 W 7 " "
 57.63 at Beech 20 " "
 64.26 Intersect N. Bound. line 22 W. N. of post.
 where set post Co. to Sect. 2 & 3 from which
 at Beech 12 in. dia. bears S 10 E 38 W. dir. &
 at B. Ash 18 " " " N 33 E 31 " "
 Land & Timber as last described.

North Between Sect. 33 & 34-

5.25 at B. Ash 24 in. dia.
 10.00 Enter a Prairie
 32.50 Leave the "
 36.95 at B. Oak 20 in. dia.
 37.00 Enter a Prairie
 40.00 Set gp. Sec. post from which No bearing trees-
 70.00 Leave the Prairie
 70.75 at N. Oak 30 in. dia.
 80.00 Set post Co. to Sect. 27, 28, 33 & 34 from which
 an Elm 16 in. dia. bears S 84 W 4 W. dir. &
 a Do 15 " " " N 8 E 27 " "
 Timber land 2nd rate. Oak & Hickory
 Open woods &

East on Random Between Sect. 27 & 34-

20.00 Enter a Prairie
 40.00 Set temp. gp. Sec. post
 41.25 Leave the Prairie

397

J. D. N. R. G. E. 2nd Mer. Indiana.

80.25 Intersect Mt. line 2 W. S. of post-

West corner between Secs. 27 & 34 -

40.12 1/2 Set q. Sec. post at average dist. from which
No Bearing this -

80.25 To Sec. Corner. August 24th 1891

North Between Secs. 27 & 28 -

17.29 a N. Oak 20 in. dia.

24.84 a N. Oak 24 " "

40.00 Set q. Sec. post from which

a N. Oak 48 in. dia. bears S 9 E 50 W. dir. &

a B. Ash 11 " " " N 5 E 35 " "

54.30 a N. Oak 18 " "

80.00 Set post con. to Secs. 21, 22, 27 & 28 fr. which

a N. Oak 21 in. dia. bears S 31 E 2 W. dir. &

a Do 24 " " " N 9 W 33 " "

Thin sand & timber Oak -

East on Random between Secs. 22 & 27 -

40.00 Set temp. q. Sec. post.

42.00 Enter a Prairie

68.00 a Stream 67 W. wide course N. W.

& leave the Prairie

80.14 Intersect Mt. line 50 W. S. of post

West corner between Secs. 22 & 27 -

40.07 Set q. Sec. post at average dist. from which

a N. Oak 23 in. dia. bears S 1 W 33 W. dir. &

a B. Oak 48 " " " N 35 W 50 " "

80.14 To Sec. Corner.

North Between Secs. 21 & 22

25.67 a N. Oak 30 in. dia.

37.13 an Elm 18 " "

40.00 Set q. Sec. post from which -

C. D. N. R. & E. 2nd Mer. Indiana.

a Hawthorn 10 in. dia. bears S 36 W 18 W. dir. S
 a Buckeye 10 " " " N 31 E 18 " " w
 53.64 a W. Oak 15 " " w
 55.32 a Stream 136 W. wide Corn N.
 62.00 Enter a Prairie
 80.00 Set a post and raise a Mound for Cor. to
 Secs. 15. 16. 21 & 22.

East on Random between Secs. 15 & 22.
 16.19 a Stream 200 W. wide Corn S. W
 & Lean the Prairie
 40.00 Set temp. q. Sec. post.
 80.10 Intersect Md. line at the post.

West Corner between Secs. 15 & 22.
 40.05 Set q. Sec. post at angle dir. from which
 an Ironwood 4 in. dia. bears S 58 E 4 W. dir. S
 a Buckeye 12 " " " West 7 " "
 80.10 To Sec. Corner.

North between Secs. 15 & 16.
 7.00 Lean the prairie
 28.99 a W. Oak 30 in. dia.
 40.00 Set q. Sec. post from which
 a W. Oak 36 in. dia. bears S 17 W 49 W. dir. N
 a Hickory 16 " " " North 50 " "
 52.62 a W. Oak 16 " " "
 80.00 Set post Cor. to Secs. 9. 10. 15 & 16 from which
 a W. Oak 30 in. dia. bears S 5 E 53 W. dir. S
 a Do 16 " " " N 45 E 37 " "

East on Random between Secs. 10 & 15
 40.00 Set temp. q. Sec. post.
 80.47 Intersect Md. line 8 W. N. of post.

West Corner between Secs. 10 & 15.

399

S. D. N. R. G. E. 2nd Mer. Indiana.

40.23 $\frac{1}{2}$ Set g. Sec. post at amag dist. from which
 a W. Oak 40 in. dia. bears N 78 E 33 W. dir. 4
 a Hickory 7 " " " S 80 W 43 " "
 80.47 To Sec. Corner

North Return Sec. 9 & 10-

18.18 a Hickory 20 in. dia.
 23.80 a Bur Oak 12 " "
 25.05 a Stream 12 W. side corner S. W.
 40.00 Set g. Sec. post from which
 a B. Ash 11 in. dia. bears S 6 W 21 W. dir. 4
 a B. Walnut 3 " " " S 34 W 16 " "
 61.93 a W. Oak 30 " "
 80.00 Set post cu. to Sec. 3, 4, 9 & 10 from which
 an Oak 12 in. dia. bears South 45 W. dir. 4
 a W. Oak 40 " " " N 40 E 26 " "

East on Random Return Sec. 3 & 10-

40.00 Set g. Sec. post (temp.)
 80.50 Intersect Mt. line 30 W. S. of post-

West Corner Return Sec. 3 & 10-

40.25 Set g. Sec. post at amag dist. from which
 a Buckeye 12 in. dia. bears S 9 E 27 W. dir. 4
 a Dogwood 6 " " " S 33 W 7 " "
 80.50 To Sec. Corner.

North Return Sec. 3 & 4-

18.76 a Buck 20 in. dia.
 40.00 Set g. Sec. post from which
 a Buck 21 in. dia. bears S 4 W 33 W. dir. 4
 a W. Oak 48 " " " S 27 E 14 " "
 46.83 a Hickory 24 " "
 64.09 Intersect N. Bound. line 15 W. W. of post
 when set post cu. to Sec. 3 & 4 from which
 a Buck 12 in. dia. bears S 2 E 43 W. dir. 4

C. D. N. W. R. G. E. 2nd Mer. Indiana.

An Elm 12 in. dia. bears N 49 W 36 W. dir.
 The land on this line is 2nd rate & level.
 Timber Oak, Hickory, Ash & Beech. undergrowth
 Ironwood, Dogwood & Spice
 August 25th 1851 -

North Between Secs. 32 & 33 -

36.29 a W. Oak 20 in. dia.
 40.00 Set g. Sec. post from which
 a W. Oak 50 in. dia. bears S 28 E 10 W. dir. &
 a W. Oak 21 " " " North 58 " "
 54.59 a Hickory 18 " "
 80.00 Set post Cu. to Secs. 28, 29, 32 & 33 from which
 a Hickory 10 in. dia. bears S 10 E 18 W. dir. &
 a W. Oak 24 " " " N 5 E 30 " "
 Land level 2nd rate. Timber Oak & Hickory.
 Open woods &

East on Random between Secs. 28 & 33 -

40.00 Set temp. g. Sec. post.
 79.00 Enter sec. line 20 W. N. of post.

West Corner between Secs. 28 & 33 -

39.50 Set g. Sec. post at average dist. from which
 a Run Oak 21 in. dia. bears N 55 E 8 W. dir. &
 a Hickory 13 " " " S 69 W 41 " "
 79.00 To Sec. Corner.

North Between Secs. 28 & 29

33.48 a Hickory 15 in. dia.
 40.00 Set g. Sec. post from which
 a W. Oak 18 in. dia. bears S 29 E 17 W. dir. &
 a Do 24 " " " North 41 " "
 48.77 a W. Oak 20 " "
 53.50 Enter a Prairie
 62.60 Span the "

401

T. D. N. - W. G. E. 2nd Mer. Indiana.

80.00 Set Post car to Secs 20, 21, 28 & 29 from which
 a W. Oak 17 in. dia. bears N 70 E 5 W. dir. of
 a Do 10 " " " N 27 W 8 " " "
 Sand lent 2nd rate. Timber Oak & Hickory
 Open Woods.

East on Random between Secs 21 & 28 -
 40.00 Set temp q. Sec. Post
 79.80 Intersect Mt. line 62 W. N. of Post
 Sand as last described

West Corner between Secs 21 & 28 -
 39.90 Set q. Sec. Post at arm of dir. from which
 a W. Oak 14 in. dia. bears S 83 E 45 W. dir. of
 a Do 14 " " " N 80 W 69 " "
 79.80 To Sec. Corner.

North between Secs 20 & 21 -
 6.91 a W. Oak 30 in. dia.
 18.00 Enter a Prairie Swamp.
 29.23 a Stream 240 W. wide course West
 & Lean Prairie
 40.00 Set q. Sec. Post from which
 a W. Oak 4 in. dia. bears S 5 E 41 W. dir. of
 a W. Oak 14 " " " N 38 W 34 " "
 63.19 a Do 20 " " "
 80.00 Set Post car to Secs 16, 17, 20 & 21 from which
 a W. Oak 18 in. dia. bears S 39 W 13 W. dir. of
 a Do 18 " " " N 1 W 37 " "
 Sand lent 2nd rate. Timber Oak & Hickory
 Open woods of

East on Random between Secs 16 & 21 -
 40.00 Set temp q. Sec. Post.
 75.00 Enter a Prairie
 80.50 Intersect Mt. line 59 W. N. of Post

T. D. N. R. 9 E. 3rd Mer. Indiana.

Land for as last described

West Corner between Secs. 16 & 21

40.25 Set gp. Sec. post at average dist. from which
 a W. Oak 15 in. dia. bears N 67 E 50 W. dist. 8
 a Hickory 11 " " " S 87 W 11 " "
 80.50 To Sec. Corner.

North between Secs. 16 & 17

6.31 at Branch 20 W. wide corner N.W.
 9.47 a Blue Ash 15 in. dia.
 40.00 Set gp. Sec. post from which
 a B. Ash 5 in. dia. bears S 24 E 50 W. dist. 8
 a Maple 13 " " " N 6 W 17 " "
 62.05 at Branch 20 " "
 80.00 Set post en. to Secs. 8, 9, 16 & 17 from which
 a Buckeye 6 in. dia. bears S 15 W 33 W. dist. 9
 a Beech 12 " " " N 2 E 43 " "
 Land lent & rich. Timber Ash. Sugar,
 Buckeye & Beech. ungth Ash & Spruce—

East on Random between Secs. 9 & 16—

40.00 Set temp. gp. Sec. post—
 45.16 at Stream 30 W. wide corner S.W.
 45.50 Enter a Prairie
 50.25 Leave the Dr
 80.35 Intersect Mt. line 14 W. S. of post.
 Land lent & rich. Timber Beech. Buckeye & Ash.
 ungth Spruce & Maple.

West Corner between Secs. 9 & 16—

40.17½ Set gp. Sec. post at average dist. from which
 a B. Walnut 36 in. dia. bears S 48 E 22 W. dist. 4
 a Beech 18 " " " S 78 W 15 " "
 80.35 To Sec. Corner. August 26th 1821.

403

C. D. N. - R. G. E. 2nd Mer. Indiana.

North Return Sect. 8 & 9 -

- 17.59 at Oak 36 in. dia.
 21.50 Enter a Swamp Prairie
 27.25 Leave the " "
 40.00 Let q. Sec. post from which
 a Beech 21 in. dia. bears S 88 E 17 W. dist. 4
 a W. Oak 3 " " " N 11 W 11 " "
 54.07 a S. Ash 16 " "
 80.00 Let post cut to Sect. 4. 5. 8 & 9 from which
 a S. Ash 12 in. dia. bears S 43 W 20 W. dist. 4
 a Hickory 12 " " " N 5 W 39 " "
 Land level & rich. Timber Beech. Ash & Sugar-
 ungth. Ash & Spice

East w. Random Return Sect. 4 & 9 -

- 40.00 Let temp. q. Sec. post
 80.00 Enter at Mt. line 34 W. S. of post
 Land level & rich. Timber Beech. Ash &
 ungth. Dogwood, Ash, Elm & Spice.

West Corner Return Sect. 4 & 9 -

- 40.00 Let q. Sec. post at average dist. from which
 a Beech 10 in. dia. bears S 34 E 3 W. dist. 4
 a Do 18 " " " N 29 W 9 " "
 80.00 To Sec. Corner.

North Return Sect. 4 & 5 -

- 21.66 a Beech 8 in. dia.
 31.28 at Branch 12 W. under Corner S. W.
 37.53 a W. Oak 50 in. dia.
 40.00 Let q. Sec. post from which
 a Beech 18 in. dia. bears S 29 W 18 W. dist. 4
 an Ironwood 5 " " " N 3 W 31 " "
 51.39 a Beech 14 " "
 64.39 Enter at B. road. line 22 W. E. of post.
 where let post cut to Sect. 4 & 5 from which -

J. D. N. - R. G. E. 2nd Mer. Indiana.

at B. ash 13 in. dia. brass 49 W 36 W. dist. 4
 Beech 11 " " " " N 3 E 24 " "
 Land lent 2nd rate. Timber ash. Oak. Beech &
 maple. Ironwood, Beech & Spruce -

North Return Sect. 31 & 32 -

20.33 a Hickory 10 in. dia.
 40.00 Set g. Sec. post from which
 a Plum 3 in. dia. brass 431 E 6 W. dist. 4
 an Elm 4 " " " " N 7 E 20 " "
 41.98 at branch 13 W. side Corn N.
 55.35 an Elm 16 in. dia.
 80.00 Set post ac. to Sect. 29, 30, 31 & 32 fr. which
 a Red Oak 16 in. dia. brass 49 E 13 W. dist. 4
 a Do 30 " " " " N 7 W 44 " "
 Land lent 2nd rate. Timber Oak, Hickory & Ash,
 Open woods.
 + +

East or Random Return Sect. 29 & 32 -

14.00 Enter a Prairie
 24.50 Leave the Do
 36.50 Enter a Do
 40.00 Set temp. g. Sec. post.
 42.00 Leave the prairie
 79.65 Intusect. M. line 109 W. N. of post.
 Land lent 2nd rate. Timber Oak & Hickory -
 Open woods.

West Corner Return Sect. 29 & 32 -

39.82 Set g. Sec. post at map dist. No bearing trees
 79.65 To Sec. Corner.

West Return Sect. 30 & 31 -

16.06 an Elm 22 in. dia.
 35.90 a Do 18 " "
 40.00 Set g. Sec. post from which -

405

Dr. N. R. G. E. 2nd Mr. Indiana

an Elm 7 in. dia. bears 48 E 36 W. dist. 9
 a B. ash 36 " " " 429 W 10 " "
 61.00 a Hackberry 11 " "
 65.07 a Stream 150 W. wide corner S.
 82.87 Entered N. Bound. line 66 W. S. of Post-
 where set post on. to Sec. 30 & 31 p. which
 a Hickory 1.5 in. dia. bears 51 E 5 W. dist. 8
 a Dogwood 6 " " " 173 W 7 " "
 Sand rich & level, Timber Walnut. Hackberry,
 ash & many Beech & Spruce.

North Return Sec. 29 & 30-

6.39 a Hickory 12 in. dia.
 15.25 Enter the Prairie
 40.00 Let g. Sec. post No bearing trees.
 51.76 a Stream 242 W. wide corner N. W.
 72.75 Leave the Prairie
 77.80 a Bur Oak 20 in. dia.
 80.00 Let post on. to Sec. 19, 20, 29 & 30 from which
 a Bur Oak 30 in. dia. bears 46 E 117 W. dist. 8
 a Do 36 " " " 115 E 84 " "
 Sand level & rich. not much timber on this
 line a little Oak &c

East and Random Return Sec. 20 & 29-

4.20 Enter a Prairie
 22.00 a Stream 150 W. wide corner S. W.
 40.00 Let the temp. g. Sec. post
 44.00 Leave the Prairie
 80.00 Entered N. B. line 67 W. S. of Post-
 Sand level. Timber Oak- August 27th 1831.

West correct Return Sec. 20 & 29-

40.00 Let g. Sec. Post at average dist. No bearing trees
 80.00 To Sec. Corner.

W. D. N. R. G. E. 2nd Mer. Indiana.

West Return Loc. 19 & 30-

- 22.05 a Beech 20 in. dia.
 31.91 a Stream 22 W. side Corn. S. W.
 40.00 Set g. Loc. Post from which
 a Beech 20 in. dia. bears East 40 W. dist. &
 a Do 36 " " " 50 W 33 " "
 63.02 a Poplar 30 " "
 80.82 Intersect W. Bound. line. 11 W. E. of Post.
 where set Post Cr. to Loc. 19 & 30 fr. which
 a Hickory 18 in. dia. bears S. E. 30 W. dist. &
 a W. Oak 21 " " " 48 W 18 "
 Sand lent 2nd rate. Timber Beech. Hickory.
 & Oak - ungth Spruce &

North Return Loc. 19 & 20-

- 19.24 a W. Oak 20 in. dia.
 40.00 Set g. Loc. Post from which
 a W. Oak 18 in. dia. bears S. 10 W 2 W. dist. &
 a Hickory 10 " " " 15 W 6 " "
 53.81 a Stream 22 W. side Corn. S.
 66.28 a Beech 14 in. dia.
 80.00 Set Post Cr. to Loc. 17. 18. 19 & 20 from which
 a Sugar 9 in. dia. bears S. 59 E 6 W. dist. &
 a Do 24 " " " 14 W 15 " "
 Sand lent & rich. Timber Ash. Elm, Oak & Sugar.
 ungth Ironwood & Spruce -

East or Random Return Loc. 17 & 20-

- 5.34 a Dry branch 18 W. side Corn. S.
 40.00 Set temp. g. Loc. Post -
 67.62 a Stream 20 W. side Corn. S. E.
 80.26 Intersect W. line 50 W. N. of Post
 Sand lent & rich. Timber Ash. Walnut. Beech
 & Sugar. ungth Ironwood. Spruce. Hazel &

West Cornet Return Loc. 17 & 20-

407

W. G. N. R. G. E. 2nd Mer. Indiana.

40.13 Set q. Lee. Post at average dist. from which
a Cherry 18 in. dia. bears S 33 E 33 1/2 W. dist. X
a Birch 24 " " " N 35 W 12 " "

80.26 To Lee. Corner.

West Return Lee. 18 & 19 -

23.38 a Poplar 24 in. dia.

33.16 a Birch 10 " "

40.00 Set q. Lee. Post from which
a Birch 15 in. dia. bears N 42 E 16 W. dist. X
a Do 24 " " " S 61 W 38 " "

66.09 a Do 30 " "

79.74 Intersect W. Bound. line 16 W. S. of Post
when Set Post Cu. to Lee. 18 & 19 from which
a B. Ash 10 in. dia. bears N 83 E 36 W. dist. X
an Elm 5 " " " S 69 W 11 " "

Land as last described -

North Return Lee. 17 & 18

13.06 a R. Oak 20 in. dia.

17.61 a Dry branch 20 W. wide Corn E

18.59 a Do 18 " " " W -

40.00 Set q. Lee. Post from which
a R. Oak 48 in. dia. bears South 5 W. dist. X
a Blue ash 10 " " " N 23 W 11 " "

57.85 a Sugar 32 " "

80.00 Set Post Cu. to Lee. 7, 8, 17 & 18 from which
an Ironwood 7 in. dia. bears S 74 W 26 W. dist. X
a Do 7 " " " N 65 E 11 " "

Land level & rich. Timber Ash, Oak & Elm.
very th Ash & Spice -

East or Random Return Lee. 8 & 17 -

40.00 Set temp. q. Lee. Post

80.38 Intersect W. line 195 W. St. of Post

Land & Timber Same as on the last line -

W. D. N. R. G. E. 2nd Mer. Indiana.

West Corner between Secs 8 & 17 -

- 40.19 Set g. Sec. Post at average dir. from which
a Beech 24 in. dia. bears S 31 E 7 W. dir. S
a Do 15 " " " N 47 W 18 " " "
80.38 To Sec. Corner.

West Bottom Secs 7 & 18 -

- 17.73 a W. Oak 72 in. dia.
30.61 a Beech 20 " "
40.00 Set g. Sec. Post from which
a Sugar 12 in. dia. bears N 88 E 49 W. dir. S
a Beech 5 " " " N 85 W 23 " "
48.89 a B. Ash 22 " "
64.65 a Beech 10 " "
78.48 Intersect W Bound. line. 8 W. S. of Post
when set Post Cu. to Secs 7 & 18 from which
a S. Ash 20 in. dia. bears S 82 E 17 W. dir. S
a Beech 18 " " " N 30 W 38 " "
Land here 9th Nat. Timber Oak, Elm, Ash &
Hickory. ungth Ash & Spruce -

North Bottom Secs 7 & 8 -

- 20.85 a Hickory 14 in. dia.
34.30 a Sugar 18 " "
40.00 Set g. Sec. Post from which
an Elm 10 in. dia. bears S 44 W 23 W. dir. S
a Beech 15 " " " N 46 E 24 " "
54.44 a S. Ash 12 " "
80.00 Set Post Cu. to Secs 5, 6, 7 & 8 from which
a Beech 8 in. dia. bears S 38 W 24 W. dir. S
a Do 10 " " " N 37 E 18 " "
Land here + rich. Timber Beech, Ash, Oak &
Sugar. ungth Ironwood, Ash & Spruce -
August 28th 1821 -

East in Random between Secs 5 & 8 -

409

C. D. N. R. G. E. Ind Mr. Indiana.

40.00 Set gp. Lec. Post (temp.)
 80.28 Intersect N. line 70 W. N. of Post.
 Land as last described.

West Corner between Locs. 5 & 8-

40.14 Set gp. Lec. Post at average dist. from which
 a Beech 12 in. dia. bears N 59 E 25 W. dist. 1/2
 a Do 12 " " " S 53 W 44 " "
 80.28 To Lec. Corner.

West Between Locs. 6 & 7-

19.27 a Beech 16 in. dia.
 30.69 a W. Oak 22 " "
 40.00 Set gp. Lec. Post from which
 a Beech 4 in. dia. bears S 41 E 3 W. dist. 1/2
 a Do 9 " " " N 70 W 29 " "
 59.03 a Do 15 " "
 64.83 a Hickory - " "
 78.50 Intersect N. Bound. line 65 W. N. of Post
 where set post C. to Loc. 6 & 7 from which
 a Beech 9 in. dia. bears N 64 E 30 W. dist. 1/2
 a W. Oak 40 " " " S 64 W 22 " "
 Land cont. Ind state. Timber Beech. Oak &
 Sugar, ungth Dogwood. Ironwood & ash.

North Between Locs. 5 & 6

13.89 a Beech 10 in. dia.
 29.80 a Sugar 24 " "
 40.00 Set gp. Lec. Post from which
 a Sugar 12 in. dia. bears S 9 E 54 W. dist. 1/2
 a Do 15 " " " N 65 W 39 " "
 47.11 a Beech 16 " "
 58.60 a Do 24 " "
 60.50 a Cherry 20 " "
 63.66 Intersect N. Bound. line 50 W. E. of Post-
 where set post C. to Loc. 5 & 6 from which

Twp 20 N. R. 9 E. 2nd Mer. Indiana.

a Hickory 10 in. dia. bears S 87° 8' W. dist. 8
 an Ironwood 7 " " " S 84° 8' W. " "
 Sand lent 2nd rate, Scrub Beech, Elm,
 Hickory, Ash, Sugar B. ang^l. Ironwood,
 ash & Spruce.

August 29th 1821 Surveyed by
 David Willis D. S.

I certify that the foregoing transcript of
 the Field Notes of Township 20 North, in
 Range 9 East of the 3rd Meridian in
 Indiana, has been compared with the
 Original in this Office, and found to
 be correct.

Surveyor General's Office
 Cincinnati Dec. 10th 1843

William Johnston
 Sur. Genl.